


PLAYGROUND

Owner / Operator Manual



PLAYGROUND MANUAL TABLE OF CONTENTS.

- 3 Overview
- 3 Structure & Use
- 4 Court Attendants
- 6 General Rules
- 7 Signage & Patron Education
- 8 Inspection & Maintenance
 - 9 Daily Inspection
 - 10 Weekly Inspection
- 11 Cleaning
- 14 Risk Assessment
- 17 Conclusion
- 17 Appendix A Visual Aid & Key Terminology
- 19 Appendix B Obstacles & Features
- 22 Appendix C Daily Inspection Chart

Overview

This manual contains proper operational procedures which ensure the safest and most enjoyable experience for customers and employees. The following information is for the purpose and intent to provide owners and operators with operational procedures and inspection/maintenance recommendations that will facilitate top performance of the equipment, as well as longevity of the product. Your attraction is constructed by following the specified procedures and using quality materials, all in compliance with the industry standards. This manual covers categorical recommendations as well as details on specific components and features.

Within many trampoline and adventure parks you will find a Playground area to help direct younger jumpers (generally 2-6 years old) to a safer, designated area of play. It is critical for owners and operators of an amusement destination to become familiar with the design, function, roles, rules, and instructions for care found within this manual. For any additional inquiries regarding specific needs not found in this manual, please contact Fun Spot® directly at:

+1 (706) 376 8989.

MANUFACTURER'S NOTE: According to ASTM F2970-17, Section 14.2 - all owners/operators must notify the manufacturer of all major incidents that occur at this attraction within seven (7) days of the occurrence.

Any patterns of repeated major incidents should also be reported.

★ Structure & Use

The design of a **Playground** attraction will vary at every location; some feature large structures with many play features, while others feature only a smaller, private court-sized area. The constant within all Playground areas is the structure itself. Aluminum tubing is combined to create a stable framework for connecting brackets, netting, noodle foam, and rubber flooring. Fun Spot® installers are trained to follow instructions to minute details in the installation process, so maintaining the use of the Playground with its designed purpose is crucial for structure integrity and longevity. Misuse of the structure's features could compromise safety;

therefore, managerial training during the installation is critical (see Inspection & Maintenance section, pg. 9).

To protect the longevity of each feature and the structure of the play area, participants should never exceed the court's max capacity. Each Playground will have a different max capacity, determined its size and shape. This max capacity can be provided by your Fun Spot designer. It is important to not only maintain the proper amount of guests on the Playground at one time, but also never exceed the recommended height or weight limit. The maximum height limit for the Playground is 48" and the maximum weight limit is 250 lbs. (113.4 kg), and is established to protect the function of the materials, structure, and features.

MANUFACTURER'S NOTE: The Playground is intended to be a permanent structure. Assembly and dismantling of this attraction should be done by a professional Fun Spot® installer only.

Court Attendants

Out of all of the roles in a trampoline park, the Court Attendant has the most interactive and dynamic role. Upon first glance, one might presume they are the "lifeguards" of the park - but they are far more. Instead of being stationed off to the side, observing and engaging only when someone breaks a rule or requires assistance, they are part of the park's high-energy atmosphere. This role is exciting, fun, and rewarding! Court Attendants keep the courts safe and actively contribute to the fast-paced experience.

Since each Court Attendant is a point-person for the facility, they need to always be in uniform and easy to recognize by any customer. The park's shirt is required for each shift, as well as proper shorts/pants and shoes according to the dress code laid out by the managers. Court Attendants cannot wear excessive jewelry, large earrings/bracelets/necklaces, or studded belts in case they must enter the court to help someone.

A ratio should be recognized to correctly staff the Playground area. The industry standard ratio for Attendants to active participants is 1:32, and should never be exceeded (see ASTM F2790-15). Therefore, any Playground large enough to accommodate over 32 children should have at least two Court Attendants; in most cases, however, the Playground's

size will require only one Court Attendant.

For a more comprehensive understanding of the Court Attendant, please refer to the Fun Spot® Court Attendant Manual.

Responsibilities >>>>>>

Court Attendant placement should be near the entry and exit points of the Playground structure. In most cases a parent or adult guardian will be within the Playground area outside of the structure. If that is the case, a CA will be able to acquire assistance from the parent or guardian to make sure their child follows all rules and safety guidelines. Additional responsibilities include, but are not limited to:

- 1. Watch the exits of slides, and keep those areas clear to avoid guest collisions.
- 2. **Be mindful** of the **height requirement**. Address any participants larger than the height limit that may attempt to enter or play within the structure.
- 3. Instruct the safety guidelines when necessary. Instead of focusing on what not to do, focus on instruction regarding *how* to safely use the equipment.
- 4. Survey less visible areas often. Continue to ensure there is no bullying or inappropriate activity taking place behind obstacles or higher points in the structure.
- 5. Court Attendants should also **examine** the structure and play areas. Netting, framing, obstacles and elements of the Playground area should be **inspected** throughout the shift for damage or defilement.
- 6. Court Attendants should carefully pay attention to any suspicious activity with onlookers or adults in the Playground activity areas. If a CA detects anything suspicious, a manager should be notified immediately. Owners/Operators: An EAP and an intervention script should be written for scenarios such as attempted kidnapping and similar. It is recommended to consult professional legal advice before training and implementing these EAPs and scripts.

② General Rules

With the nature of this kind of recreational facility, playing at a trampoline park requires all rules to be carefully followed by every participant. Every guideline and rule for this attraction exists to ensure protection for the jumpers and the equipment. All participants must read the rules of play and must also observe the instructions of the operator at all times. Before entering the Playground, the following rules must be observed:

Before Entry: >>>>>>

- A properly **completed waiver** must be signed by guests 18 years of age and older, or by a parent/legal guardian for guests under the age of 18.
- Guests must be **48" tall** (122 cm.) **or less** to play on the Playground, and weigh no more than **250 lbs** (113 kgs.).
- Guests should **not be wearing** large or loose jewelry, studded belts, or anything that could damage equipment or hurt another jumper.
- Hard-billed **hats** are not recommended, and should be left outside the Playground during game play.
- Guests should be wearing appropriate **grip socks** no shoes, bare feet, stockings, hose, or socks without approved grips.
- Guests should maintain their **jump pass** in a place that is easy for Attendants to see, and should be participating in the activity only during their purchased time.
- Pockets of participants should be empty at all times.
- No gum or candy is allowed during jump times.
- Attendants should make sure there are no guests under the influence of **harmful drugs or alcohol** (If an Attendant suspects that someone is under the influence, then they should notify a manager immediately).

Signage & Patron Education

Rules and Warning signs are always an important **educational tool** for the customers. Safety signage should always be clearly displayed at eye level, and in a contrasting appearance so they stand out. Rules signage should be placed near the entrance to Fun Spot® attractions. The following rules should also be made clear, accessible, and legible:

Playground Rules: <<<<

All children must be monitored by a parent or legal guardian.				
Show respect to other guests and listen to the Court Attendant.				
No climbing on the containment netting.				
Use both hands when climbing on the Playground obstacles.				
No fighting, shoving, running or racing.				
Slides may be used for bottoms only - no head first or reverse sliding				
is allowed. Standing on the slides is also not allowed.				
Guests should never exceed max capacity .				
I Guests should never attempt anything outside of their current skil				
level.				
If there is a Foam Pit or Ball Pit as a part of the Playground:				
No laying down in the foam/balls, especially near slides.				
Owner/Operators must generate pit capacity signage for				
parents.				

REGARDING SPECTATORS: Do not allow spectators to lean on the Playground within the court, or against the netting. Spectators must also never block the entry and exit points at any time.

MANUFACTURER'S NOTE: One of the uses of the Playground is to allow very small children to begin to learn new motor skills (including jumping and balance) in a safe environment away from a busy court with larger guests. The Playground provides a safe and secluded alternative for these families within a busy trampoline park. At times it can be expected for parents to sit down and work with their learning toddler or child. Please use discretion on when to disallow resting within the Playground.

WARNING! Impact, flipping, climbing, and other activities can result in serious or fatal head injury, paralysis, bone fracture, and/or serious injury. Be responsible and participate at your own risk. Non-compliance may result in the loss of your paid activity time.

- Do not attempt any obstacle, skill or activity outside your own limitations, abilities, or skill level. Use involves inherent risk. Participate with extreme caution at your own risk.
- Do not participate if you have any health limitations, had recent surgeries, are under the influence of drugs or alcohol, or if you are pregnant.
- Failure to follow the rules and safety guidelines may result in loss of jump pass, serious injury or death.

GUEST RESPONSIBILITY

Everyone that enters a court or activity zone must have completed a valid liability waiver. Those under the age of 18 must have the form completed and signed by a parent, legal guardian, or someone with legal power of attorney. Prior to participation, all guests and accompanying adults assume full responsibility to ensure that:

- All waivers are properly executed.
- Everyone has reviewed the rules and viewed the safety video (if applicable).
- Everyone must have a valid jump/activity pass before entering any activity zone.
- ☐ Guests and accompanying adults must completely understand and agree to follow all rules and staff member instructions.
- Everyone is in good health without any restrictions.
- lacktriangle Every guest and participant must be aware of those around them.
- ☐ Activities may involve individuals of different sizes, ages, and abilities; guest participation is at their own risk.
- ☐ Guests and accompanying adults assume full responsibility for their actions and conduct.
- ☐ Guests and accompanying adults should also assume full responsibility of their own personal property, including, but not limited to, cameras, cell phones, shoes, handbags/purses, etc.
- Staff members reserve the right to relocate guests, accompanying adults and spectators to a different area at any time.

***** Inspection & Maintenance

When a Fun Spot® installer is on-site, it is the park's responsibility to make time to receive maintenance instructions while the Playground is being assembled. The installation phase is an invaluable time for a park to learn about the structure and use, as well as how to replace parts and features. Once staff have been properly trained on replacements, the areas within the Playground will require inspections before, during, and at the end of every shift/day the park is open to the public, as well as a weekly inspection.

A Daily and Weekly Inspection time should be observed in conjunction with the manufacturer inspection sheets (see Appendix C on pg. 22). The Daily and Weekly inspections must be done during non-business hours so that the inspector can also hear the components that are being assessed. These inspections should be completed by a CA or manager. Completed inspection sheets should be saved with a time-stamp and stored digitally for up to three years (or according to an attorney's recommendations). For specific needs regarding the Playground attraction, please contact Fun Spot® directly at the number listed in the Overview section.

Daily Visual and Tactile Inspection

- Ensure the **safety pads** are cleaned and secured. Pads below slides should be firmly in place. **Flooring** should also be inspected for tripping hazards and to verify each square is secured in place.
- Examine any **trampoline mats** for holes, tears, or fraying webbing.
- Inspect any **obstacles** not attached to the structure, such as padded shapes. There should be no defiled areas, tears, or holes in the devices. No sharp edges or seams should be exposed.
- Inspect all **containment netting** for holes or tears. If any are found, Playground should be closed until the netting is replaced or mended.
- Check the stability of the **structure** and inspect connection and floor anchor points to verify there are no loose or detached hardware or

areas. The framing and structure itself should not sway when a CA* crawls through it during the inspection.

Inspect additional features:

- Foam/ball pit for the proper amount of balls/foam cubes, and for any defiled pieces. There should be no exposed sharp edges or hard surfaces.
- Padded boxes & rollers for padding secured around the entire device, no fraying of stitching or unraveling seams. Fixed devices (like rollers) should be secured to the structure and not should not be missing any hardware.
- ☐ Hanging rings & obstacles: for proper heat-shrink rubber coating on the hanging components to conceal metal or sharp edges. Obstacles should be undefiled with no punctures or missing hardware.
- Bridges & slides: for fixed braces and hardware, with no movement when bearing the weight of a guest. All hardware should be tight and there should be no exposed sharp edges, holes, dents, or gashes in the materials.
- □ Cargo netting or fence features: for unraveling netting or exposed hardware or sharp edges, loose attachments, tears, or any issue that compromises the function or use of the obstacle. For a full list of the Fun Spot Playground obstacle features, see pages 19-21.
- Remove any **trash**, debris, or similar that was missed in the previous closing shift's cleaning if necessary, also disinfect all accessible surfaces.

*MANUFACTURER'S NOTE: Any CA that goes inside a Playground for an inspection must weigh less than 250 lbs.

Inspection During A Shift <<<<

There are certain areas within every park that will require special attention. The Court Attendants will not only be monitoring the guests during their shift, but will also be mindful of the equipment as it is being used. Pads, netting, entry points and exit points, as well as the wear on

features throughout the day should be a constant priority of Court Attendants throughout their shift. In the event a feature must be immediately serviced or replaced, a netting or some sort of barrier should be established to close off* the Playground for servicing. This is to protect the employee(s) servicing the equipment, as well as the guests. In most cases where proper inspection and maintenance has been observed, the equipment can be replaced during non-business hours and will not require immediate care.

* MANUFACTURER'S NOTE: If an area needs to be serviced during hours of operation, it should be closed off throughout the entire time of repair. If a repair is made, at least one employee should be standing on the perimeter of the repair area to keep participants away. Repairs during business hours can be dangerous if not done properly!

Post-Shift & Weekly Inspection >>>>>>

Post-shift inspections are generally very similar to pre-shift inspections in items of priority, however it should also include a thorough cleaning and sanitizing the used areas. Excessively dirty or functionally compromised areas should be made aware immediately to management. Post-shift inspections are often at the end of busy times, therefore extra care must go into the observations Court Attendants make as they clean and review the Playground.

If a monitor sees excessive fraying of the netting, they should notify a manager immediately. Matters concerning containment netting should be taken seriously. Gaps between tubing, severe rips on a pad, and unstable connectors should also be handled with urgency.

Weekly Extended Inspection

- Inspect (and clean) the outside of the Playground structure. Inspect all of the containment netting for:
 - ☐ **Fraying** any thinning and separation of the woven threads should be carefully monitored. When it becomes a tear or hole, that section should be replaced.
 - ☐ **Tears/Holes** any sections of containment netting that contain holes larger than 2 inch diameter should be replaced.
- Inspect (and clean) the inside of the Playground structure. Verify there are

no wet or defiled areas within the structure.

- Inspect all **safety pads** around and inside the Playground structure for tears, loose stitching, or holes. All pads that are attached to the structure should be firmly secured with no gaps between consecutive padding.
- Inspect any **railing or posts** near the Playground. Verify the railing is unblemished, no sharp edges, and no unstable points. All railing within 5ft. (1.5 m.) of any rebound devices or obstacles should have safety padding attached (See ASTM F2970-17, Section 7.7.1).
- Examine the **flooring** around the Playground attraction. Ensure there are no tripping hazards on the padded flooring.
- Examine the structural frame, safety ties, and padding for:
 - Structural integrity issues (no "swaying" or instability). Check all connection points, especially anchors into the ground/concrete. Ensure there is no loose or cracking concrete/ground.
 - Inspect all of the hardware that is securing the structure. If any bolts need to be replaced, only replace them with the same strength and length as was originally installed. If broken bolts are found, notify management before re-opening the attraction.
 - Exposed/sharp edges.
 - Secured padding around the frame.
 - ☐ Inspection of these parts should be done during non-business hours, and should never be done while guests are playing.

MANUFACTURER'S NOTE: Our assistance app, SUMBA, is recommended for all inspections. If SUMBA is not used, Operators and Management/Supervisors should also review the Daily and Weekly Inspection Sheets, the Maintenance Visual Aide and the Maintenance Manual for additional information about timing, processes, and visual cues for servicing a Playground.

For maintenance-related questions, contact maintenance@funspot.com.

The intervals of maintenance for your park should be adjusted based on its use. The previously listed inspections and maintenance efforts are minimum recommendations.

Cleaning

Cleanliness is a large part of safety when it comes to Playgrounds. A Daily Cleaning list should consist of wiping and sanitizing the padding and any features on the obstacles that involve human contact. It is best to utilize a small amount of non-caustic cleaner® that disinfects and sanitizes with a flat-head mop for hard to reach places, and a non-abrasive rag for features within reach. At the end of every work-day, Court Attendants should work together to make sure every part of the attraction is sanitized and disinfected. Platforms around this attraction should be vacuumed and kept clear of trash and debris. In addition to a Daily Cleaning, a more thorough Weekly Cleaning list should be observed as well:

- Areas around the Playground, behind fences, and underneath the nearby courts should not be eyesores. Any areas visible to guests should always be kept clean and tidy.
- A bi-weekly sweeping (under and around the Playground) should be planned, but it must be done during non-business hours (when the park is not open to the public). *Do not* attempt to sweep under or around an attraction that has customers participating in activities!
- Thoroughly wipe down all features/components with a non-caustic cleaner. All surfaces that come in contact with bodies must be given a thorough cleaning at least once a week in addition to the Daily cleaning that should take place at the end of each day of use.
- Clean pads and column wraps more thoroughly with the use of an industry-standard steam mop. Do not hold the steam over the vinyl for more than a second. If the steam is on, keep the mop moving. If a section of padding needs to be scrubbed after the steam is used, turn the steam function off to safely focus on smaller portions at a time.

°For a current suggested list on specific cleaning products recommended by the manufacturer, contact Fun Spot® directly. Also, for a more detailed look at inspection and maintenance regarding Foam Pits in Playground areas, please refer to the Fun Spot® Foam Pit Manual.

Risk Assessment

For Owners & Operators:

Before the Wipe Out attraction is open for use within your park, please review this Risk Assessment section to verify the proper procedures and policies are in place. It is the manufacturer's recommendations that all EAPs and policies regarding risk management be logged and made available to all operating staff. It is also vitally important to review these procedures often as a part of a regular training protocol.

RISK #1 Impact injury as result of fall, user error, or equipment failure.

Solution A - The steel structure shall be fitted with foam padding. The padding is to be compliant with ASTM guidance for Gmax impacts and with a calculated HIC value under BS EN 1177:2008 in excess of 1.5m. Gaps in padding must be minimized using angled padding joints where possible to ensure overlap at joints. The Operator must ensure that the Court Attendants are suitably trained and diligent in their duties. The Court Attendants must observe all Participants in play and recognize inappropriate behavior and intervene with appropriate action when necessary.

Solution B - The Operator implements a procedure including daily inspections of the Playground to identify any damage or failure and a policy regarding prohibition from use should any weaknesses such as torn netting, broken features, or missing hardware may be identified. A procedure for the management of over-occupancy and overcrowding scenarios must be implemented and effectively managed.

Solution C - A more thorough Weekly Inspection shall be instituted where the structure, netting, features, and flooring shall be carefully examined to ensure that it is sound, intact, and in as the manufacturer intended.

Solution D - In accordance with ASTM F2790 all areas surrounding rebound devices shall be padded - a minimum of 60" (152.4 cm) from the jumping surface/rebound device. In the absence of this padding, containment netting to keep the Participant in the rebounding area shall be in place.

RISK #2 A Participant is injured through interaction or entanglement with features or the springs of a trampoline/rebound device, including items such as jewelry and hair.

Solution A - The bed of a trampoline is a single piece of fabric that extends over the trampoline springs and is fixed to the steel framework. Framework padding is then placed on top of this area, further protecting the participant from contact with the springs. No-jump signs (where necessary) and webbing borders are to be installed on the trampoline beds to signify the jumping area and the prohibited area where jumping should be avoided.

Solution B - The Operator shall ensure Participants are properly briefed, either verbally or through safety signage, to ensure that they:

- do not jump close to the springs on trampolines
- should not wear jewelry while participating in the play activities and
- that loose, long hair should be tied back or braided.

RISK #3 Friction or abrasion injury as a result of impact or slipping.

Solution A - Participants shall wear grip socks to assist in keeping their footing when exploring the structure and Playground activity area. All guests will also be instructed to not stand on the slides.

Solution B - The Operator will ensure Participants are informed to always play within their skill level and mitigate any running or rough play.

Solution C - Parents/guardians shall be encouraged to assist in monitoring their child's play activity within the Playground. Court Attendants will be trained to enlist the help of said guardians when necessary.

Solution D - Proper industry-standard impact attenuation padding shall be utilized throughout the structure, at the end of slides, and around any moving features.

RISK #4 Injury caused by mental overload/underload of the Court Attendant leading to human error.

Solution A - The design of the park shall ensure a suitable number of viewing points for Court Attendants and should endeavour to avoid blind-

spots. A policy of staff-rotation and effective staff management can and will reduce the effects of over and under loading on staff. Supervisors should maintain a rotation to avoid mental fatigue and keep the monitors mentally sharp and fresh.

RISK #5 Injury caused by fatigue of guests.

Solution A - A containment net is also used to keep participants inside the playing area.

Solution B - Court Attendants are trained to observe signs of exhaustion or hindered physical activity due to fatigue. A designated resting area should be provided by Operators so that participants may safely rest outside of the structure.

RISK #6 A participant is injured through impact/contact with another player.

Solution A - A max capacity of the Playground should be determined and upheld by Operator and Court Attendants each day. Overcrowding should be addressed immediately by the on-duty CA, and a scripted redirection of user traffic should be implemented by the Operator.

* Conclusion

A Fun Spot® Playground area is a beneficial addition to any trampoline park or amusement destination. It provides a safe environment for younger children to experience the trampoline park, as well as a stress-free experience for parents concerned about their small children being around busy attractions like an Open Jump Main Court or Dodgeball Court. Owners and operators should review the Fun Spot® Court Attendant manual as well, and maintain proper inspections and maintenance throughout the week. For more information about Fun Spot® and our robust safety and operations training program, contact Fun Spot® at:

+1 (706) 376 8989 and FUNSPOT.com.

For more maintenance related questions, please refer to the Maintenance Manual, the Maintenance Visual Aide, and Appendices A, B & C.
Additional questions may also be conveniently submitted to:

maintenance@funspot.com

Appendix A - Terminology & Pictures

ATTENTION OWNERS/OPERATORS:

Management, Operators, and Court Attendant employees should familiarize themselves with the following terminology and standards. For additional information on any equipment and maintaining proper function, please refer to the Fun Spot Maintenance Visual Aide and resource library.





Appendix B

OBSTACLES & FEATURES

ROLLING/TURNING OBSTACLES



ROLLER RUN



SIT-N-SPIN



HORIZONTAL ROLLERS



VERTICAL ROLLERS




KIDS CONVEYOR

SLIDES & TUBES



DOUBLE SLIDE



WAVE SLIDE



TUBE





HANGING & FENCE OBSTACLES



CARGO



CRISS CROSS



PUNCHING BAG



AIR BUBBLE

ADDITIONAL FEATURES



VINYL ROOF



PLAYING BALLS

SPIETH PADDED SHAPES



Appendix C - Daily Inspection Chart

ATTRACTION COMPONENTS	PASS	WATCH	FAIL	NOTES
Are all graphics panels/walls properly secured and undamaged?				
Are all safety and warning signs clearly displayed by the court/attraction?				
Are there any rips, tears or holes in the containment netting? (If yes, the playground should be closed until it is serviced.)				
Are all points of any additional containment netting properly secured with unblemished cables and turnbuckles?				
Are there any unstable points or potential tripping hazards on any ground, flooring, or nearby stairs?				
Are there any blemishes, tears or exposed sharp edges on any climbing devices (including stairs)?				
Is all of the safety padding cleaned and secured, with no rips or holes? (Pads below slides should also be firmly in place.)				
Do any trampoline mats have holes,tears, or fraying webbing?				
Are all rolling, hanging, or other internal obstacles properly attached to the structure? (There should be no defiled areas, tears, or holes in the devices. No sharp edges or seams should be exposed.)				
Are all slides and observation balls secured to the structure, with no exposed sharp edges or defilement?				
Do any netting obstacles have tears or fraying of material?				
Is the frame of the structure properly connected to the floor anchor points? (The framing and structure itself should not excessively sway.)				
Are there any loose or missing zip ties?				
Is there any missing, loose, or broken hardware within the structure frame or in attachment points for obstacles?				
Are the padded shapes clean and undefiled, with no fraying of stitching or unraveling of the outer material?				
Is all vinyl roofing secured to the structure and unblemished?				

DATE & TIME// :	INSPECTOR
ADDITIONAL NOTES:	
If applicable, does the foam or ball pit have the appropriat level of foam, and the walls of the pit secured with no exposed metal or sharp edges?	re



(By signing, you verify you have completed the inspections according to manufacturer recommendations and to the best of your ability.)

For quality consistency, have each inspector complete a new sheet each day.

For features that may contain a more time-sensitive maintenance requirement, highlight the component line for the next weekly inspection and maintenance time.

When an inspection reveals a future service requirement, that is currently not urgent, the WATCH column should be used. Any components that have a WATCH note attached, should be shown to all Court Attendants so that they can monitor the issue throughout their shifts. This should be repeated daily until the component receives a service that returns it to a PASS status. Any components that receive a FAIL note should be serviced immediately, and the attraction must remain closed until the component is fixed and returns to a PASS status. WATCH and FAIL items should have pictures attached to each daily inspection until it returns to PASS status.

Upon completion, combine with the correlating Weekly Inspection Sheet and reconcile all services on the Monthly Maintenance Log. It is also recommended to include pictures of all replacements with any maintenance records.

When starting a new week, review the previous Weekly and Daily Inspection Logs to ensure the highlighted components lines were serviced.

Save all Inspection logs for your records, either digital or hardcopy, for at least 3 years or for the amount of time that your attorney/legal counsel advises.

For information regarding signs and timing of maintenance needs, review all of your individual attraction/feature manuals as well as the Maintenance Manual and the corresponding visual aids. Additional inspection and maintenance resources can be found on our operator's inspection and training app, SUMBA.

All inspections throughout the month should include obstructions, condition of impact attenuation materials and covers, placement and securement of impact attenuation materials, condition of trampoline beds and suspension system, condition of frame, condition of redundant bed or barrier netting underneath or behind trampoline beds, condition of containment system and netting, condition of communications devices, condition and placement of signage, condition of foam pit and impact attenuation block material, condition of nets/goals/hoops and similar, condition of balls or other devices, condition of emergency response gear and first aid kits, condition of assembly area, and condition of adjacent platforms, entrances, exits, stairways, lifts, and ramps.

THANK YOU FOR BEING A VALUABLE FUN SPOT CUSTOMER!



THE ADVENTURE PARK INDUSTRY'S NEW BEST FRIEND.



INSPECTIONS AND MAINTENANCE MADE EASY.
GUIDED STEPS, TIME STAMPS, MANAGER TOOLS, QR
CODES, PICTURE PROOF, REMINDERS & MORE EXPONENTIALLY INCREASING DEFENSIBILITY WITH A
SLEEK AND SIMPLE USER INTERFACE.

INCLUDING: OUR NEW
COURT MONITOR VIDEO TRAINING PROGRAM
WITH CORRESPONDING TESTS & STAFF LOGS
TO ENSURE THAT EVERY STAFF MEMBER IS
CORRECTLY TRAINED.
EVERY TIME.





INDIVIDUAL USER LOGINS, MAINTENANCE PORTAL, MAINTENANCE RESOURCE VIDEO LIBRARY, OWNER AND OPERATOR STAT TOOLS - AND MORE!

WE BUILD SAFER PARKS. ASK US HOW!

